

```
ROUTER10
Continue with configuration dialog? [yes/no]: no
Router>enable
Router#conf t
Router10(config)#hostname Router10
Router10(config)#enable secret fjeclot
Router10(config)#line console 0
Router10(config-line)#password fjeclot
Router10(config-line)#exit
Router10(config)#line vty 0 15
Router10(config-line)#password fjeclot
Router10(config-line)#exit
Router10(config)#banner motd "Accés a CommutadorXX només per usuaris autoritzats"
Router10(config)#exit
Router10#clock set 13:43:50 9 December 2021
Router10#show clock
Router10#show ip interface brief
Router10#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Router10(config)#ip routing
Router10(config)#interface fastethernet0/0
Router10(config-if)#ip address 192.168.1.1 255.255.255.0
Router10(config-if)#no shutdown
Router10(config-if)#exit
Router10(config)#interface fastethernet0/1
Router10(config-if)#ip address 10.1.1.1 255.0.0.0
Router10(config-if)#no shutdown
Router10(config-if)#exit
Router10(config)#interface serial0/3/0
Router10(config-if)#ip address 172.16.1.1 255.255.0.0
Router10(config-if)#clock rate 56000
Router10(config-if)#no shutdown
Router10(config-if)#exit
Router10(config)#interface serial0/3/1
Router10(config-if)#ip address 172.20.1.1 255.255.0.0
Router10(config-if)#no shutdown
Router10(config-if)#exit
Router10(config)#exit
Router10#show ip interface brief
Router10#show ip route
Router10#copy running-config startup-config
Destination filename [startup-config]? <Enter>
Router10#conf t
Router10(config)#banner motd "Benvinguts al Router10"
Router10(config)#exit
Router10#exit
Router10>
#####
##### COMPROVACIÓ CONNECTIVITAT #####
Router10>ping 192.168.1.20
```

Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 192.168.1.20, timeout is 2 seconds:
!!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/3/5 ms